Skin Care

Anhydrous

Traditional Ingredients

Vegan

Features

- · Delivers lightweight moisture and silky feel
- Pumpable oil that doesn't run. Not greasy, not sticky
- · Vegan formula

Formula

Sunflower Wax

Natural wax extracted from sunflower seeds. Very high melting point and excellent structuring capabilities, increases stick structure and stability. Structurant. Usage level 1-15%.

Kester Wax K-82P

Unique plasticizer. High melt point soft wax improves stability, compatibility, and feel of anhydrous systems without affecting structure. Creates jellies and squeezables. Usage level 0.25-20%.

Kester Wax K-24

Naturally derived wax ester of plant origin. Low melt point semi-solid, melts on body contact, provides cooling sensation. Adds slip, reduces greasy feel, dimethicone alternative. Usage level up to 50%.

Trade Name	INCI Name	%
Phase A		
Sunflower Wax ¹	Helianthus Annuus (Sunflower) Seed Wax	5.5
Kester Wax K-82P ¹	C18-38 Alkyl Hydroxystearoyl Stearate	5.5
Kester Wax K-24 ¹	Lauryl Laurate	30.0
Jeecol O ²	Oleyl Alcohol	20.0
Jeechem Squalane ²	Squalane	10.0
Jojoba Oil ³	Simmondsia Chinensis (Jojoba) Seed Oil	10.0
Lipovol Crambe ⁴	Crambe Abyssinica Seed Oil	10.0
Lipovol Argan Oil ⁴	Argania Spinosa Kernel Oil	8.0
Vitamin E Acetate ⁵	Tocopheryl Acetate	0.5

Procedure

- Combine all ingredients, mix and melt at 90 °C until uniform.
- · Cool to room temperature with mixing.
- Pump into containers.

Stability Information:

Three months at 45 °C, three months at room temperature, three freeze/thaw cycles.

Supplier Information:

1. Koster Keunen, Inc.; 2. Jeen; 3. Columbus Oils; 4. Vantage; 5. BASF.

Looking for additional formulas? Try our Formula Selector Tool at: kosterkeunen.com/pcformulationguide

