

Vegan Pot Balm

Formula # 7/16-484/258/358-1/3

Features

- Soothes dry lips
- Moisturizing and nourishing
- Two version available, easy to customize

Skin Care

Anhydrous

Natural/Clean

Vegan

Formula

Kester Wax K-60P

Naturally derived plasticizer. Increases melt point, stability, compatibility in anhydrous systems, thickens emulsions and provides texture. Usage level 0.5-20%.

Sunflower Wax

Natural wax extracted from sunflower seeds. Very high melting point and excellent structuring capabilities, increases stick structure and stability. Structurant. Usage level 1-15%.

Kester Wax K-62

Naturally derived wax ester of plant origin. High melt point solid wax, provides hard structure in anhydrous applications. Structurant. Usage level 1-20%.

Trade Name	INCI Name	Version 1 %	Version 2 %
<i>Phase A</i>			
Kester Wax K60P ¹	Polyhydroxystearic Acid	14.5	10.0
Sunflower Wax ¹	Helianthus Annuus (Sunflower) Seed Wax	3.0	5.0
Kester Wax K-62 ¹	Stearyl Behenate	3.0	4.0
Kester Wax K-24 ¹	Lauryl Laurate	8.0	6.0
Extra Virgin Coconut Oil ²	Cocos Nucifera (Coconut) Oil	20.0	20.0
Castor Oil ²	Ricinus Communis (Castor) Seed Oil	25.0	27.0
Almond Oil ²	Prunus Amygdalus Dulcis (Sweet Almond) Oil	25.5	27.0
Vitamin E Acetate ³	Tocopherol Acetate	1.0	1.0

Procedure

- Combine all ingredients, melt at 85-90 °C and mix until uniform .
- Cool to 80°C and pour into containers (pots recommended).

Stability Information:

Three months at 45 °C, three months at room temperature, three freeze/thaw cycles.

Supplier Information:

1. Koster Keunen, Inc.; 2. Barentz; 3. BASF.

Looking for additional formulas? Try our Formula Selector Tool at: kosterkeunen.com/pcformulationguide