

Metallic Liquid Lip

- High coverage liquid lip
- Intense metallic shine
- Comfortable wear and fashion forward



Product	Function	About	Hair	Color	Skin	Natural
PEG-8 Beeswax	Creamy texture	In anhydrous systems, PEG-8 Beeswax creates creamy textures, with enhanced emolliency and spreadability	x	x	x	
SynKos 2030	Thickening & Texturizing	Economical synthetic wax for thickening systems	x	x	x	
Kester K-82P	Plasticizer	Highly compatible plasticizer that can increase stability and melt point. Offers tremendous texture options in all applications	x	x	x	
Kostol ApiFree	PEG-8 Beeswax Replacement	For a natural and vegan option, swap 1:1 with the PEG-8 Beeswax	x	x	x	x

KOSTER



KEUNEN

Koster Keunen Inc.

1021 Echo Lake Rd., Watertown, CT 06795,

Tel: 1-860-945-3333 • info@kosterkeunen.com • www.kosterkeunen.com

Ingredient Trade Name	INCI Name	%
Phase A		
SynKos 2030	Synthetic Wax	6.00
SynKos 2070	Microcrystalline Wax, Paraffin	7.00
Peg-8 beeswax*	Peg-8 beeswax	4.00
Kester Wax K-82P	C18-38 Alkyl Hydroxystearoyl Stearate	5.50
Indopol H-100	Polybutene	18.00
Dermol PETIS	Pentaerythrityl Tetraisostearate	27.00
Jeechem OD	Octyldodecanol	23.0
TC Bright Silver	Mica (and) Titanium Dioxide (and) Tin Oxide	7.76
Chromatique Silver Gray	Mica (and) Titanium Dioxide (and) Iron Oxides	0.24
Marvel Maroon	Mica (and) Iron Oxides (and) Silica	0.80
Unipure Red LC 3075	Red 7 Lake CI 15850	0.70
Effect Pigment	Synthetic Fluorphlogopite	10.5
Effect Pigment	Mica	15.0

*For a vegan or PEG free formula replace 1:1 with **Kostol ApiFree**

Procedure

- Combine Phase A ingredients
- Increasing heat and mixing (80°C)
- Cool while mixing to 50°C
- Pump into containers

Stability and suppliers upon request.

