

# Natural Creamy Lipstick - Nude

Formula # 2/19-10000/258/188-1

## Features

- All-natural and vegan creamy lipstick.
- Hydrates and smooths lips.
- Excellent glide and payoff.

## Color Cosmetics

Anhydrous

Natural / Clean

Vegan

## Formula

### Kostol ApiFree

Natural, vegan blend designed to mimic the properties of PEG-8 Beeswax. Adds slip in anhydrous formulations. Improves stability in emulsions. Usage level 1-10%.

### Sunflower Wax

Natural wax extracted from sunflower seeds. Very high melting point and excellent structuring capabilities, increases stick structure and stability. Structurant. Usage level 1-15%.

### Bayberry Wax

Natural wax extracted from the Bayberry fruit. Low melt point solid, behaves like a butter in most formulations. Emollient, thickener, matte finish. Usage Level 0.5-15%.

Trade Name	INCI Name	%
<i>Phase A</i>		
Kostol ApiFree <sup>1</sup>	Behenyl Behenate, Polyhydroxystearic Acid, Polyglyceryl-10 Stearate, Euphorbia Cerifera (Candelilla) Wax, Sodium Stearoyl Lactylate	10.0
Sunflower Wax <sup>1</sup>	Helianthus Annuus (Sunflower) Seed Wax	12.0
Bayberry Wax <sup>1</sup>	Myrica Cerifera (Bayberry) Wax	5.0
Kester Wax K-24 <sup>1</sup>	Lauryl Laurate	6.0
Castor Oil	Ricinus Communis (Castor) Seed Oil	17.0
Jojoba Oil <sup>2</sup>	Simmondsia Chinensis (Jojoba) Seed Oil	12.2
Vitamin E Acetate <sup>3</sup>	Tocopherol Acetate	0.8
<i>Phase B</i>		
Unipure Red LC 386 <sup>4</sup>	Iron Oxides CI 77491	2.96
Unipure Red LC 381 <sup>4</sup>	Iron Oxides CI 77491	2.55
Unipure Yellow LC 182 <sup>4</sup>	Iron Oxides CI 77492	0.74
Unipure Black LC 989 <sup>4</sup>	Iron Oxides CI 77499	0.37
Titanium Dioxide 325 <sup>5</sup>	Titanium Dioxide	14.54
Mica Sericite 285 <sup>5</sup>	Mica	1.18
Jeechem CTG <sup>6</sup>	Caprylic/Capric Triglyceride	14.66

## Procedure

- Combine Phase B (Color Base) ingredients and mill until homogeneous.
- Combine Phase A ingredients and heat until melted and uniform.
- Slowly add the color base to Phase A, mix until uniform.
- Cool to about 80 °C and pour into containers.

### Stability Information:

Three months at 45 °C, three months at room temperature, three freeze/thaw cycles.

### Supplier Information:

1. Koster Keunen, Inc., 2. Vantage, 3. BASF, 4. Sensient, 5. Brenntag Specialties, 6. Jeen.

Looking for additional formulas? Try our Formula Selector Tool at: [kosterkeunen.com/pcformulationguide](https://kosterkeunen.com/pcformulationguide)