

# Natural Vegan Tinted Lip Gloss

Formula # 2/19-837/484-3

## Features

- Softens and Conditions Lips
- Leaves a Hint of Color and Brilliant Shine
- Vegan and Natural Formula

## Color Cosmetics

Anhydrous

Natural/Clean

Vegan

## Formula

### Kester Wax K-60P

Naturally derived plasticizer. Increases melt point, stability, compatibility in anhydrous systems, thickens emulsions and provides texture. Usage level 0.5-20%.

### Kester Wax BWR

Natural, vegan wax blend designed to mimic the properties of natural beeswax. Thickener, film former, vegan beeswax alternative. Usage level 1-20%.

Trade Name	INCI Name	%
<i>Phase A</i>		
Kester Wax K-60P <sup>1</sup>	Polyhydroxystearic Acid	11.9
Kester Wax BWR <sup>1</sup>	Behenyl Behenate, Polyhydroxystearic Acid, Euphorbia Cerifera (Candelilla) Wax	9.9
Coconut Oil <sup>2</sup>	Cocos Nucifera (Coconut) Oil	17.8
Castor Oil <sup>2</sup>	Ricinus Communis (Castor) Seed Oil	27.6
Golden Jojoba Oil <sup>2</sup>	Simmondsia Chinensis (Jojoba) Seed Oil	15.8
Jeechem CTG <sup>3</sup>	Caprylic/Capric Triglyceride	13.9
Vitamin E Acetate <sup>4</sup>	Tocopheryl Acetate	1.0
Prestige Bright Silver <sup>5</sup>	Mica (and) Titanium Dioxide	1.0
<i>Phase B</i>		
Castor Oil <sup>2</sup>	Ricinus Communis (Castor) Seed Oil	0.6
Unipure Red LC 386 <sup>6</sup>	Iron Oxides CI 77491	0.5

## Procedure

- Combine Phase B ingredients and mix until homogeneous, milling if necessary.
- Combine Phase A ingredients in a vessel.
- Heat to 80 – 85 °C and mix until uniform.
- Once homogenous, add Phase B to Phase A and mix.
- Cool to room temperature with mixing and pump into tubes.

### Stability Information:

Three months at 45 °C, three months at room temperature, three freeze/thaw cycles.

### Supplier Information:

1. Koster Keunen, Inc.; 2. Barentz; 3. Jeen; 4. BASF.; 5. Brenntag Specialites.; 6. Sensient.

Looking for additional formulas? Try our Formula Selector Tool at: [kosterkeunen.com/pcformulationguide](https://kosterkeunen.com/pcformulationguide)