

Vegan Lipstick- Aubergine

Formula# 5/17-837/258/358-9

Features

- High gloss, buildable coverage.
- All-Natural, everyday lipstick.
- Vegan formula.

Color Cosmetics

Anhydrous

Clean/ Natural

Vegan

Formula

Sunflower Wax

Natural wax extracted from sunflower seeds. Very high melting point and excellent structuring capabilities, increases stick structure and stability. Structurant. Usage level 1-15%.

Kester Was BWR

Natural, vegan wax blend designed to mimic the properties of natural beeswax. Thickener, film former, vegan beeswax alternative. Usage level 1-20%.

Kester Wax K-60P

Naturally derived plasticizer. Increases melt point, stability, compatibility in anhydrous systems, thickens emulsions and provides texture. Usage level 0.5-20%.

Trade Name	INCI Name	%
<i>Phase A</i>		
Sunflower Wax ¹	Helianthus Annuus (Sunflower) Seed Wax	11.0
Kester Wax BWR ¹	Behenyl Behenate, Polyhydroxystearic Acid, Euphorbia Cerifera (Candelilla) Wax	6.5
Kester Wax K-60P ¹	Polyhydroxystearic Acid	2.0
Kester Wax K-24 ¹	Lauryl Laurate	6.0
Jojoba Oil ²	Simmondsia Chinensis (Jojoba) Seed Oil	12.0
Virgin Coconut Oil ²	Cocos Nucifera (Coconut) Oil	23.0
Jeechem CTG ³	Caprylic/Capric Triglyceride	4.5
<i>Phase B</i>		
Jeechem CTG ³	Caprylic/Capric Triglyceride	15.85
Unipure Red LC 386 ⁴	Iron Oxides CI 77491	2.21
Unipure Pink LC 589 ⁴	Ultramarines CI 77077	8.25
Unipure Blue LC 680 ⁴	Ultramarines CI 77007	3.47
Unipure Triple Black LC 990 ⁴	Iron Oxides CI 77499	0.32
Mica Sericite BC ²	Mica	4.90

Procedure

- Combine Phase B ingredients and mill until homogeneous.
- Mix all Phase A components and melt at 80 – 85 °C.
- Once fully melted and mixed, add Phase B to Phase A and disperse well
- Pour into molds at about 80 °C.

Stability Information:

One month at room temperature, one month at 45 °C, three freeze/thaw cycles.

Supplier Information:

1. Koster Keunen, Inc.; 2. Brenntag Specialties; 3. Jeen; 4. Sensient.

Looking for additional formulas? Try our Formula Selector Tool at: kosterkeunen.com/pcformulationguide