

Vegan Lipstick – Arabian Spice

Formula# 6/17-258/484/130-1

Features

- 100% natural, vegan lipstick.
- Creamy, glides on like satin.
- Achieves single-stroke coverage.

Color Cosmetics

Anhydrous

Clean/ Natural

Vegan

Formula

Sunflower Wax

Natural wax extracted from sunflower seeds. Very high melting point and excellent structuring capabilities, increases stick structure and stability. Structurant. Usage level 1-15%.

Kester Was K-62

Naturally derived wax ester of plant origin. High melt point solid wax, provides hard structure in anhydrous applications. Structurant. Usage level 1-20%.

Kester Wax K-60P

Naturally derived plasticizer. Increases melt point, stability, compatibility in anhydrous systems, thickens emulsions and provides texture. Usage level 0.5-20%.

Trade Name	INCI Name	%
<i>Phase A</i>		
Sunflower Wax ¹	Helianthus Annuus (Sunflower) Seed Wax	10.0
Kester Wax K-62 ¹	Stearyl Behenate	3.5
Kester Wax K-60P ¹	Polyhydroxystearic Acid	8.0
Jojoba Oil ²	Simmondsia Chinensis (Jojoba) Seed Oil	18.5
Extra Virgin Coconut Oil ²	Cocos Nucifera (Coconut) Oil	17.0
Jolee 7750 ³	Isoamyl Laurate	8.0
<i>Phase B</i>		
Titanium Dioxide 325 ⁴	Titanium Dioxide	10.70
Unipure Red LC 381 ⁵	Iron Oxides CI 77491	2.83
Unipure Red LC386 ⁵	Iron Oxides CI 77491	2.52
Jeechem CTG ⁶	Caprylic/Capric Triglyceride	11.42
Kester Wax K-24 ¹	Lauryl Laurate	7.53

Procedure

- Combine Phase B ingredients and mill until homogeneous.
- Melt and mix all Phase A components.
- Once fully melted and mixed, combine both phases, disperse pigments well.
- Cool to 75 °C and pour into molds.

Stability Information:

One month at room temperature, one month at 45 °C, three freeze/thaw cycles.

Supplier Information:

1. Koster Keunen, Inc.; 2. Barentz; 3. Oleon; 4. Brenntag Specialties; 5. Sensient; 6. Jeen.

Looking for additional formulas? Try our Formula Selector Tool at: kosterkeunen.com/pcformulationguide