

Metallic Liquid Lip

- High coverage liquid lip.
- Intense metallic shine.
- Comfortable wear and fashion forward.

Ingredient Trade Name	INCI Name	%
Phase A		
SynKos 2030 ¹	Synthetic Wax	6.00
SynKos 2065 ¹	Microcrystalline Wax, Paraffin	7.00
Peg-8 beeswax* ¹	Peg-8 beeswax*	4.00
Kester Wax K-82P ¹	C18-38 Alkyl Hydroxystearoyl Stearate	5.50
Indopol H-100 ²	Polybutene	18.00
Dermol PETIS ³	Pentaerythrityl Tetraisostearate	27.00
Jeechem OD ⁴	Octyldodecanol	23.0
TC Bright Silver ⁵	Mica (and) Titanium Dioxide (and) Tin Oxide	7.76
Chromatique Silver Gray ⁵	Mica (and) Titanium Dioxide (and) Iron Oxides	0.24
Marvel Maroon ⁵	Mica (and) Iron Oxides (and) Silica	0.80
Unipure Red LC 3075 ⁶	Red 7 Lake CI 15850	0.70
Effect Pigment	Synthetic Fluorophlogopite	10.5
Effect Pigment	Mica	15.0

*For vegan or PEG free formula replace 1:1 with Kostol Apifree

Product	Function	About	% Usage	Natural
PEG-8 Beeswax	Creamy texture	In anhydrous systems, PEG-8 Beeswax creates creamy textures, with enhanced emolliency and spreadability	1-10%	
SynKos 2030	Thickening & Texturizing	Economical synthetic wax for thickening systems	1-20%	
Kester K-82P	Plasticizer	Highly compatible plasticizer that can increase stability and melt point. Offers tremendous texture options in all applications	0.25-20%	
Kostol ApiFree	PEG-8 Beeswax Replacement	For a natural and vegan option, swap 1:1 with the PEG-8 Beeswax	1-10%	x

PROCEDURE

- Combine Phase A ingredients.
- Increasing heat and mixing (80°C).
- Cool while mixing to 50°C.
- Pump into containers.

Looking for additional formulas? Try our Formula Selector Tool at: <https://www.kosterkeunen.com/pcformulationguide/>

Stability information: Three months at room temperature, three months at 45 °C, three freeze/thaw cycles.

Supplier information: 1; Koster Keunen, Inc.; 2. INEOS; 3. Alzo; 4. Jeen; 5. Sandreams Impact; 6. Sensient



Koster Keunen Inc.

Watertown, CT 06795, USA

Tel: 1-860-945-3333 • info@kosterkeunen.com • www.kosterkeunen.com

