Unisex Skin Perfector

- Unisex Foundation/Concealer
- Easy-Glide Formula

- Soft & Creamy
- Buildable Coverage

Ingredient Trade Name	INCI Name	%
Phase A		
Beeswax ¹	Beeswax	7.0
Sunflower Wax ¹	Helianthus Annuus (Sunflower) Seed Wax	10.0
Kester Wax K-82P ¹	C18-38 Alkyl Hydroxystearoyl Stearate	3.0
Jeechem OP ²	Ethylhexyl Palmitate	14.0
Dermol 99 ³	Isononyl Isononanoate	11.5
Phase B		
Titanium Dioxide 3254	Titanium Dioxide	11.98
Unipure Red LC 381 ⁵	Iron Oxides CI 77491	1.04
Unipure Yellow LC182⁵	Iron Oxides CI 77492	3.82
Unipure Black LC989⁵	Iron Oxides CI 77499	0.38
PMMA-S ⁴	Polymethyl Methacrylate	4.64
Dimethicone Talc ST1925 ⁴	Talc (and) Dimethicone	8.84
Belsil PDM20 ⁴	Trimethylsiloxyphenyl Dimethicone	23.80



Product	Function	About	% Usage	Natural
	Natural thickener,	Multifunctional, natural wax that increases stability, compatibility, prevents syneresis,		
Beeswax	structure, plasticizer and	offers many texture options. Makes anhydrous formulas soft and pliable, makes	0.5-25%	Х
	particle suspension	emulsions glossy, thick and with excellent pickup.		
Sunflower Wax	Structure	Natural, highly compatible and renewable structuring wax.	0.5-25%	х
Kester Wax K-82P	Plasticizer	Highly compatible plasticizer that can increase stability and melt point. Offers tremendous texture options in all applications.	0.25-20%	

PROCEDURE

- Combine Phase B/Color Base ingredients and mill until homogeneous.
- Mix and melt Phase A at 80 85 °C until uniform.

- Slowly add Phase B to A with mixing, continuing until uniform.
- Pour into containers around 80 °C and cool.

Looking for additional formulas? Try our Formula Selector Tool at: https://www.kosterkeunen.com/pcformulationguide/

Stability information: Three months at room temperature, three months at 45 °C, three freeze/thaw cycles.

Supplier information: 1.Koster Keunen, Inc., 2. Jeen International; 3. Alzo International; 4. Brenntag Specialties; 5. Sensient.

