

# Very Peri Eyeshadow

- Cream Eyeshadow
- Pantone color of the year
- Easy spread & buildable

Product	Function	About	% Usage	Natural
Kester Wax K-59	Structure, Opacity	Primary structurant in certain anhydrous systems.	1-20%	x
Kester Wax K-24	Ester, Emollient	Natural ester and emollient that imparts slip, melts at body temp, offers slight cooling sensation. Provides light, dry, feel. Cuts greasiness with natural oils, esters and organic sunscreens.	1-50%	x
Kester Wax K-60P	Plasticizer	Natural plasticizer for film forming, increased stability and low to medium structure.	0.5-20%	x

Ingredient Trade Name	INCI Name	%
<b>Phase A</b>		
Kester Wax K-59 <sup>1</sup>	Stearyl Stearate	9.0
Kester Wax K-60P <sup>1</sup>	Polyhydroxystearic Acid	13.0
Kester Wax K-24 <sup>1</sup>	Lauryl Laurate	4.0
Jeechem CTG <sup>2</sup>	Caprylic/Capric Triglyceride	10.0
Castor Oil <sup>3</sup>	Ricinus Communis (Castor) Seed Oil	20.0
Jojoba Oil <sup>3</sup>	Simmondsia Chinensis (Jojoba) Seed Oil	13.0
Vitamin E Acetate <sup>4</sup>	Tocopheryl Acetate	1.0
Prestige Midnight Blue <sup>5</sup>	Mica (and) Titanium Dioxide (and) Ferric Ferrocyanide	12.0
Sumicos Iobla Mist <sup>5</sup>	Mica (and) Titanium Dioxide (and) Iron Oxide	0.1
Prestige Bright Fire Red <sup>5</sup>	Mica (and) Iron Oxide	3.0
Mica Sericite BC 285 <sup>5</sup>	Mica	14.9

## PROCEDURE

- Combine Phase A ingredients, mix and melt at 85 °C until uniform.
- Add Phase B and mix well.
- Once homogenous, begin to cool to room temperature while continuing to mix.
- Pour into containers at about 70-75 °C.

Formula: #2/22-129/484-17

Looking for additional formulas? Try our Formula Selector Tool at:

<https://www.kosterkeunen.com/pcformulationguide/>

**Stability information:** Three months at 45 °C, three months at room temperature, three freeze/thaw cycles.

**Supplier information:** 1. Koster Keunen, Inc. 2. Jeen Int. 3. Marron Group  
4. BASF 5. Brenntag

**Koster Keunen Inc.**

Watertown, CT 06795, USA. Tel: 1-860-945-3333  
info@kosterkeunen.com • www.kosterkeunen.com