



Hair Styling Aid

Formulating design and advantages:

This styling wax helps provide a touchable, conditioned hold. **Sunflower Wax** provides structure and forms a film that effectively blocks humidity, while **Kester Wax K-60P** provides hold. **Kostol Natural E** and **Cera Bellina** stabilize the formula and facilitate wash-out.

Formula#: 6/14-414/106/484-8

Trade Name	INCI Name	%
Phase A		
Kostol Natural E ¹	Behenyl Alcohol, Polyglyceryl-3 Stearate	5.3
Cera Bellina ¹	Polyglyceryl-3 Beeswax	5.0
Kester Wax K-60P ¹	Polyhydroxystearic Acid	4.0
Sunflower Wax ¹	Helianthus Annuus (Sunflower) Seed Wax	0.5
Shea Butter	Butyrospermum Parkii (Shea Butter)	4.0
Castor Oil ²	Ricinus Communis (Castor) Seed Oil	72.1
Jojoba Oil ²	Simmondsia Chinensis (Jojoba) Seed Oil	9.1

Procedure: Combine all ingredients, melt at 90-95 °C and mix until uniform. Pour into containers at about 85 °C and cool.

Stability: One month at RT, one month at 45 °C.

Suppliers: 1. Koster Keunen, Inc.; 2. Lincoln Fine Ingredients.

