

# Hair Styling Aid

Formula# 6/14-414/106/484-8

## Features

- Helps Provide a Touchable, Conditioned Hold.
- Form Filming and Humidity Blocking Formula

Hair Care

Anhydrous

Clean / Natural

## Formula

### Sunflower Wax

Natural wax extracted from sunflower seeds. Very high melting point and excellent structuring capabilities, increases stick structure and stability. Structurant. Usage level 1-15%.

### Cera Bellina

Beeswax derivative that increases compatibility with polar materials. Promotes creamy textures in anhydrous systems. Co-emulsifier, stabilizer in both o/w and w/o emulsions. Usage level 1-10%.

### Kester Wax K-60P

Naturally derived plasticizer. Increases melt point, stability, compatibility in anhydrous systems, thickens emulsions and provides texture. Usage level 0.5-20%

Trade Name	INCI Name	%
<i>Phase A</i>		
Kostol Natural E <sup>1</sup>	Behenyl Alcohol, Polyglyceryl-3 Stearate	5.3
Cera Bellina <sup>1</sup>	Polyglyceryl-3 Beeswax	5.0
Kester Wax K-60P <sup>1</sup>	Polyhydroxystearic Acid	4.0
Sunflower Wax <sup>1</sup>	Helianthus Annuus (Sunflower) Seed Wax	0.5
Shea Butter	Butyrospermum Parkii (Shea Butter)	4.0
Castor Oil <sup>2</sup>	Ricinus Communis (Castor) Seed Oil	72.1
Joboba Oil <sup>2</sup>	Simmondsia Chinensis (Jojoba) Seed Oil	9.1

## Procedure

- Combine all ingredients, melt at 90-95°C and mix until uniform.
- Pour into containers at about 85°C and cool.

### Stability Information:

One month at RT, one month at 45°C.

### Supplier Information:

1. Koster Keunen, Inc.; 2. Barentz

Looking for additional formulas? Try our Formula Selector Tool at: [kosterkeunen.com/pcformulationguide](https://kosterkeunen.com/pcformulationguide)